

**JAPAN
PERIPHERAL ARTERY DISEASE AND
CRITICAL LIMB ISCHEMIA
PREVALENCE AND INCIDENCE**

Mary L. Yost
THE SAGE GROUP
404-520-6652

THE SAGE GROUP, LLC
23 Ridge Rd
Beaufort SC 29907

Copyright Pending
2017

All rights reserved, including the right of reproduction
in whole or in part in any form.

INDEX OF TABLES

Table 1: Comparison of the Percentage of the Population Age ≥ 60 in Japan, United States and ‘Oldest’ Countries in Western Europe	5.
Table 2: Japan 2015-2030 Peripheral Artery Disease Prevalence	6.
Table 3: Japan 2013 Prevalence of Diabetes* by Age Group	7.
Table 4: Japan Low and High Estimates of the Percent Prevalence of Peripheral Artery Disease by Age and Glucose Status	8.
Table 5: Peripheral Artery Disease Prevalence in Selected Japanese Studies and PAD Estimates Based on Adjusted Prevalence Assuming 60% Asymptomatic Disease	10.
Table 6: 2015-2030 Peripheral Artery Disease Incidence	12.
Table 7: 2015-2030 Japan Critical Limb Ischemia Patients and Limbs*	13.
Table 8: Japan Population Age ≥ 60 CLI Prevalence in PAD by Glucose Status	13.
Table 9: Japan Population Age 40-59 CLI Prevalence in PAD by Glucose Status	14.
Table 10: 2015-2030 Japan Total Number of Symptomatic Peripheral Artery Disease Patients and Number with Intermittent Claudication and Critical Limb Ischemia	15.
Table 11: 2015-2030 Japan Critical Limb Ischemia Number of Patients Diagnosed and Treated	16.
Table 12: 2015-2030 Japan Intermittent Claudication Number of Patients Diagnosed and Treated	16.

CONTACT INFORMATION

Research

Mary L. Yost
President and Senior Analyst
Telephone (404) 520-6652
yost@thesagegroup.us

Marketing

Harrington Witherspoon
Senior Vice President
Marketing
Telephone (404) 816-0746
witherspoon@thesagegroup.us